

# Towards a Computational Analysis of Suspense: Detecting Dangerous Situations

**Albin Zehe**

University of Würzburg  
zehe@informatik.uni-wuerzburg.de

**Julian Schröter**

University of Munich  
J.Schroeter@lmu.de

**Andreas Hotho**

University of Würzburg  
hotho@informatik.uni-wuerzburg.de

## Abstract

Suspense is an important tool in storytelling to keep readers engaged and wanting to read more. However, it has so far not been studied extensively in Computational Literary Studies. In this paper, we focus on one of the elements authors can use to build up suspense: dangerous situations. We introduce a corpus of texts annotated with dangerous situations, distinguishing between 7 types of danger. Additionally, we annotate parts of the text that describe fear experienced by a character, regardless of the actual presence of danger. We present experiments towards the automatic detection of these situations, finding that unsupervised baseline methods can provide valuable signals for the detection, but more complex methods are necessary for further analysis. Not unexpectedly, the description of danger and fear often relies heavily on the context, both local (e.g., situations where danger is only mentioned, but not actually present) and global (e.g., “storm” being used in a literal sense in an adventure novel, but metaphorically in a romance novel).

## 1 Introduction

One of the main goals in recent computational literary studies research is to generate a computational model for the plot of a novel (Piper et al., 2021; Konle and Jannidis, 2022). While a full understanding is still out of range for current methods, we can study some important elements of plot. In this paper, we present work towards the computational analysis of suspense as one of these elements, specifically focusing on the detection of dangerous situations and situations where a character experiences fear. While it has often been emphasised that suspense is based on a lack of information and uncertainty, it is consensual that a protagonist being endangered is a necessary condition of suspense (Hausenblas, 2017). Moreover, we hypothesise that the character’s fear is, if not a necessary

condition, a good indication of suspense if that character is indeed endangered in the fictional world. We maintain that the reader’s fear for the protagonist’s integrity is one of the most central criteria of suspense. For this aspect to be realised, dangerous situations are as crucial as the reader’s uncertainty about the outcome. Moreover, dangerous situations mostly imply uncertainty. Hence, we try to provide an operationalisation of the detection of danger on the plot level and of characters fear as a basic step towards a more thorough model of suspense. In addition, we look at the aspect of character’s fear in order to get a clearer understanding of the empirical correlation between both techniques and their relation to reading experiences of suspense based on expert annotation.

## 2 Related Work

Foundational theoretical research on the phenomenon of suspense has been conducted within the field of psychology and philosophy (Berlyne, 1967; Zillmann, 1980; Brewer and Lichtenstein, 1982; Zillmann, 1991; Bryant and Zillmann, 1991; Zillmann, 1996; Wulff, 2002) and then unfolded in literary studies and linguistics (Anz, 2003; Kleinwort, 2008; Ackermann, 2007; Hausenblas, 2017). In the last decade, computational linguistics, particularly from the perspective of text generation, approached formalisation and models of suspense (Cheong and Young, 2015; O’Neill and Riedl, 2014; Algee-Hewitt; Doust and Piwek, 2017). Although some of the latter works provide ambitious attempts to model uncertainty, they do not model the foundational dimension of dangerous situations on the plot level and fear on the level of fictional characters.

## 3 Detecting Dangerous Situations

In this paper, we present early experiments towards the detection of suspense. We focus on two tasks: detecting dangerous situations and detecting fear.

### 3.1 Annotation

Our texts were annotated with dangerous situations and fear descriptions. For fear, we only annotate situations where any character experiences fear, but no more specific information. For dangerous situations, we provide more fine-grained annotations regarding the specific type of danger. We define the types `Duel`, `Abduction`, `Natural`, `Supernatural`, `Ambush`, `Hitchcock`. For a more detailed description, see appendix A.1. Previous work has shown that for corpora of highly stereotypical texts such as the German *Hefroman* (dime novel) these types of plot aspects cover most of the relevant types of dangerous situations in several sub-genres (Schröter, 2023). While the matter of generalisability for this set of danger sub-types for different domains requires further examination, our approach will allow us to validate how well each of the danger types can be operationalised respectively within this domain.

### 3.2 Classification Task

We define the task of detecting dangerous situations as a classification task: Given a unit of text, the task is to detect whether there is a dangerous situation present in the given unit, leading to a binary classification with the labels `Danger` and `NoDanger`.<sup>1</sup> Similarly, we define the task of detecting fear as a classification task with the labels `Fear` and `NoFear`.

## 4 Data

**Raw Dataset** From a larger corpus of 19th century novellas and 20th century *Hefromane* (dime novels) in German, student assistants and the authors annotated six texts, with three of these texts being annotated twice by different annotators each.

**Preprocessing** The texts were split into topically coherent segments, which we refer to as *paragraphs* in the following, using the TextTiling algorithm (Hearst, 1997), as implemented in the nltk Python library (Bird, 2006). We used the default hyperparameters for the algorithm, since we are only interested in a rough segmentation of the texts.

**Annotation** On a paragraph level, the different types of dangerous situations and the presence of character’s fear were annotated for a total of 391 paragraphs. As the project of suspense analysis is at the beginning, we start with this small set of annotated texts.

<sup>1</sup>For this early stage of our research, we do not distinguish between different types of danger.

**Resulting Dataset** Table 4 in appendix A.2 shows the number of annotated paragraphs for each type of dangerous situation and fear description. We computed Cohen’s kappa (Cohen, 1960) for the inter-annotator agreement of the different annotators. The average kappa over all texts is 0.55 for the detection of dangerous situations, corresponding to a moderate agreement (Landis and Koch, 1977), and 0.64 for the detection of fear descriptions, corresponding to a substantial agreement. If we alleviate the requirement to annotate the *same type* of dangerous situation to only annotating whether there is *any* dangerous situation present, the average kappa for dangerous situations increases to 0.61, corresponding to a substantial agreement.

## 5 Methodology

We compare unsupervised baseline methods for the detection of dangerous situations and fear descriptions based on manually crafted word lists, which are automatically expanded by different methods.

### 5.1 Word Lists

Initially, we create lists of words we expect to be related to the different types of dangerous situations or to a general description of fear. These lists are then expanded by different techniques, based either on word embeddings or on the Knowledge Graph ConceptNet (Speer et al., 2016), as described below. Table 1 shows the number of words contained in the base lists and the expanded lists. The “Danger” list is created by merging the lists for all subtypes of dangerous situations. Statistics for the subtype lists are given in appendix A.3 in Table 5.

**Word Embedding-based Expansion** To expand the word lists based on word embeddings, we use spacy’s `de_core_news_lg` model. For each word in the base list, we retrieved the 50 most similar words according to the `word2vec` model. We extended the word lists with the lemmas of these most similar words.

**ConceptNet-based Expansion** To expand the word lists based on ConceptNet, we used the ConceptNet API to retrieve all words related to the base words. We then selected all German words  $B$  that are related to a base word  $A$  by the relation  $(A, \text{Synonym}, B)$  or  $(B, \text{IsA}, A)$  that is, selecting words that are either equivalent to the base word or more specific. We discard ConceptNet nodes

Type	Base	Embeddings	ConceptNet
Fear	49	80	157
Danger	153	355	596

Table 1: Counts for the word lists for danger and fear. Base lists are manually created, Embedding and ConceptNet lists are expanded by the respective methods.

that contain spaces, since we are currently only matching single words.

## 5.2 Detecting Dangerous Situations

We use the word lists to detect dangerous situations and fear descriptions in the texts. For each unit  $u$  (in our case, paragraphs) in the text, after lemmatisation, we count the number of words  $w$  from each list  $l_{\text{type}}$  that occur in the paragraph:

$$\text{danger}_{\text{type}}(u) = \|\{w \in u \mid w \in l_{\text{type}}\}\|. \quad (1)$$

If  $\text{danger}_{\text{type}}(u)$  for a unit  $u$  is greater than the average over all units, we detect a dangerous situation of that type in the unit. As mentioned above, we currently only use the two types “Fear Description” and “Any Dangerous Situation”.

## 6 Results

Table 2 shows the F1-scores, Precision and Recall for the detection of dangerous situations and fear descriptions with the different word lists. We find that, while the results are overall not yet good enough for further analysis, the word lists do provide signals towards the detection of dangerous situations and fear descriptions. For dangerous situations, as expected, expanding the base lists with either word embeddings or ConceptNet improves the recall, but decreases the precision. While the embedding-expanded list leads to a slightly higher F1-score than the base list, the ConceptNet expansion, even though limited to only synonyms and more specific words, seems to add too many unsuitable words, leading to a rather high recall, but very low precision. For fear descriptions, the results are similar, with the embedding-expanded list again reaching the highest F1-score.

**Quantitative Error Analysis** We performed two types of error analysis: First, we automatically extracted words that were responsible for false positives in the best-performing setting, that is, using embedding-expanded word lists. Table 3a

shows the top 10 words that were responsible for false positives for the detection of dangerous situations. On the other hand, Table 3b shows the top 10 words that were responsible for true positives for the detection of dangerous situations. Inspecting some of the false positives, we find that the words are often used to describe the aftermath of a dangerous situation, e.g., blood (“Blut”) still dripping from a wound at a crime scene, or the victim (“Opfer”) being found by the police. The word murder (“Mord”) causes exclusively false positives in our dataset, likely because it is usually not mentioned in the process. On the other hand, words like knife (“Messer”) or blade (“Klinge”) seem to be very good indicators of dangerous situations. Tables 6 and 7 show the values for all words, while Table 8 contains the same information for the detection of fear descriptions.

**Qualitative Error Analysis** In order to enrich the quantitative error analysis, we conducted hermeneutic case studies based on an automatised recognition of false negatives and false positives including the words that lead to false positive assignments. Here, we could casually see strong domain specific dependencies for the reliability of the different words or even word groups. For instance, while some of the words that are pretty reliably indicative of dangerous situations on sea (such as “Sturm”, “Gewitter”, “Orkan” from the storm-list), these words occur also with high frequency in some love novels in a metaphorical use to express the intensity of love and passion. Similar issues of high versus low precision depending on the domain can be observed for verbs such as “schlagen”.

**The Way Forward** Our results point out multiple directions for future work. We found that the word lists are - expectedly - not able to distinguish between different uses of words that are related to dangerous situations. This can either be because they are only mentioned after a dangerous situation has already occurred, or because they are used in a metaphorical sense. For both cases, training classifiers based on language models can help, since they should be able to capture the context of the words and thereby distinguish between different uses. We have already performed first experiments in this direction, however, our set of annotated texts is currently too small to be reasonably split into a training and evaluation set. We are currently working on expanding our annotated corpus. In

Word List	Dangerous Situation			Fear Description		
	Precision	Recall	F1	Precision	Recall	F1
Base	40.8	55.7	47.1	44.5	52.7	48.3
Embeddings	38.5	64.8	48.3	46.3	66.7	54.6
ConceptNet	30.3	83.0	44.4	35.4	55.9	43.3

Table 2: F1-scores, Precision and Recall for the detection of dangerous situations (DS) and fear descriptions (FD).

word	False Positives	TP Ratio	word	True Positives	TP Ratio
Blut	12	0.60	Messer	30	0.88
schlagen	12	0.69	schlagen	27	0.69
Mord	9	0.00	Wind	22	0.85
Opfer	7	0.75	Opfer	21	0.75
Wunde	5	0.55	Blut	18	0.60
Regen	5	0.29	Klinge	18	0.90
töten	5	0.29	Sturm	12	0.92
wild	4	0.67	stoßen	10	0.77
gegenüber	4	0.50	Feuer	10	0.83
Wind	4	0.85	Fregatte	10	0.91

(a) Words causing false positives

(b) Words causing true positives

Table 3: Words causing most false positives (left) and true positives (right) for the detection of dangerous situations.

addition, we also plan to make use of corpora annotated with emotion information, since emotions are strongly related to both descriptions of danger and fear – indeed, fear is often considered a basic emotion (Ekman, 1992; Plutchik, 1980). However, the only dataset annotated with these basic emotions in German literature we are aware of (Zehe et al., 2017) only contains a small number of samples annotated with “fear”. We will also explore using English datasets annotated with these emotions, as for example Kim and Klinger (2019).

## 7 Discussion and Conclusion

From a general point of view, our paper contributes mainly to one dimension of the structure of a plot based understanding of suspense and prepares the ground for exploring a second – and more reader response based – dimension. These dimensions can be described as (a) the operationalisability of dangerous situations on the plot level by means of vocabulary based methods, and (b) the extent to which the psychological experience of suspense can be approximated by danger and the characters’ fear. With regard to the first dimension (a), we were able to show that vocabulary based methods are ca-

pable of capturing a significant signal and can be regarded as baselines methods for future research. For future work, our results point the way to improving the methods. We also saw that different wordlists differ in their performance relative to the semantic domains they are applied in. Regarding the second dimension (b) and on a level of casual analysis, we found that some texts combine a high degree of danger with a low level of the protagonist’s fear. A systematic correlation study of danger and fear with reader annotations of suspense experience can help to identify and better understand different types of suspense such as the Hitchcock-type, wherein the characters are not in fear because they don’t realise being endangered, or the action-hero suspense, wherein the hero won’t be in fear when being endangered due to his personal character, or special types of psychological suspense narration, where the – neurotic – characters are in constant fear without actually being endangered. An important step for future work is to provide a structural combination of the levels of emotion (characters’ fear), plot (dangerous situation) and uncertainty on the level of reader response.



## Acknowledgements

Parts of this contribution resulted from the project “A Mixed Methods Design for Computational Genre Stylistics and Unstructured Genres. Towards a Functional History of 19th Century German Novellas” (project number 449668519), which was funded by the Deutsche Forschungsgemeinschaft (DFG) as a Walter-Benjamin Fellowship.

## References

- Kathrin Ackermann, editor. 2007. *Gespannte Erwartungen*. Austria: Forschung und Wissenschaft : Literatur ; 7. Lit, Wien [u.a.].
- Mark Algee-Hewitt. [The Machinery of Suspense](#).
- Thomas Anz. 2003. Spannung. In Jan-Dirk Müller, editor, *Reallexikon der Literaturwissenschaft*, volume 3, pages 464–467. De Gruyter, Berlin, New York.
- D. E. Berlyne. 1967. Arousal and Reinforcement. In David Levine and D. E. Berlyne, editors, *Nebraska Symposium on Motivation 1967*, Nebraska Symposium on Motivation (Series), pages 1–110. University of Nebraska Press, Lincoln. OCLC: 20832436.
- Steven Bird. 2006. [Nltk: the natural language toolkit](#). In *Proceedings of the COLING/ACL on Interactive presentation sessions*, COLING-ACL '06, pages 69–72, Stroudsburg, PA, USA. Association for Computational Linguistics.
- William F. Brewer and Edward H. Lichtenstein. 1982. [Stories are to Entertain: A Structural-affect Theory of Stories](#). *Journal of Pragmatics*, 6(5):473–486.
- Jennings Bryant and Dolf Zillmann, editors. 1991. *Responding to the Screen. Reception and Reaction Processes*. Erlbaum, Hillsdale, NJ.
- Yun-Gyung Cheong and R. Michael Young. 2015. Suspenser: A Story Generation System for Suspense. *IEEE Transactions on Computational Intelligence and AI in Games*, 7(1):39–52.
- Jacob Cohen. 1960. A coefficient of agreement for nominal scales. *Educational and psychological measurement*, 20(1):37–46.
- Richard Doust and Paul Piwek. 2017. [A model of suspense for narrative generation](#). In *Proceedings of the 10th International Conference on Natural Language Generation*, pages 178–187, Santiago de Compostela, Spain. Association for Computational Linguistics.
- Paul Ekman. 1992. Are there basic emotions?
- Philip Hausenblas. 2017. *Spannung und Textverstehen: Die kognitionslinguistische Perspektive auf ein textsemantisches Phänomen*. Tübinger Beiträge zur Linguistik. Narr Francke Attempto, Tübingen.
- Marti A. Hearst. 1997. Texttiling: A quantitative approach to discourse segmentation. *Computational Linguistics*, 23(1):33–64.
- Evgeny Kim and Roman Klinger. 2019. [Frowning Frodo, wincing Leia, and a seriously great friendship: Learning to classify emotional relationships of fictional characters](#). In *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, Volume 1 (Long and Short Papers)*, pages 647–653, Minneapolis, Minnesota. Association for Computational Linguistics.
- Malte Kleinwort. 2008. Spannung(en) bei Kafka. In Ingo Irsigler, Christoph Jürgensen, and Daniela Langer, editors, *Zwischen Text und Leser. Studien zu Begriff, Geschichte und Funktion literarischer Spannung*, pages 265–282. Edition Text + Kritik, München.
- Leo Konle and Fotis Jannidis. 2022. [Modeling Plots of Narrative Texts as Temporal Graphs](#). In *CHR 2022: Computational Humanities Research Conference, December 12 – 14, 2022*, pages 318–336, Antwerp, Belgium.
- J Richard Landis and Gary G Koch. 1977. The measurement of observer agreement for categorical data. *biometrics*, pages 159–174.
- Brian O’Neill and Mark Riedl. 2014. Dramatis: A Computational Model of Suspense. *Association for the Advancement of Artificial Intelligence*, pages 944–950.
- Andrew Piper, Richard Jean So, and David Bamman. 2021. Narrative Theory for Computational Narrative Understanding. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 298–311.
- Robert Plutchik. 1980. A general psychoevolutionary theory of emotion. *Theories of emotion*, 1:3–31.
- Julian Schröter. 2023. [›Spannung ist Männersache‹? Zur quantitativen Analyse von Suspense in Hefromanen](#). In *Hefromanen. KODEX. Jahrbuch der internationalen buchwissenschaftlichen Gesellschaft*.
- Robert Speer, Joshua Chin, and Catherine Havasi. 2016. [Conceptnet 5.5: An open multilingual graph of general knowledge](#). In *AAAI Conference on Artificial Intelligence*.
- Hans J. Wulff. 2002. Spannungserleben und Erfahrungskonstitution: Vorüberlegungen zu einer phänomenologischen Untersuchung. In Rudolf Biermann, Andreas Hepp, Martin Jurga, Lothar Mikos, and Norbert Neumann, editors, *Wechselbeziehungen: Medien – Wirklichkeit – Erfahrung*, pages 93–110. VISTAS, Berlin.
- Albin Zehe, Martin Becker, Fotis Jannidis, and Andreas Hotho. 2017. Towards sentiment analysis on

german literature. In *Joint German/Austrian Conference on Artificial Intelligence (Künstliche Intelligenz)*, pages 387–394. Springer.

Dolf Zillmann. 1980. Anatomy of Suspense. In P. H. Tannenbaum, editor, *The Entertainment Functions of Television*, 1st edition edition, pages 133–163. Psychology Press, Hillsdale, N.J.

Dolf Zillmann. 1991. The Logic of Suspense and Mystery. In J. Bryant and Dolf Zillmann, editors, *Responding to the Screen. Reception and Reaction Processes*, pages 281–303. Erlbaum, Hillsdale, NJ.

Dolf Zillmann. 1996. The Psychology of Suspense in Dramatic Exposition. In Peter Vorderer, Hans J. Wulff, and Mike Friederichsen, editors, *Suspense: Conceptualizations, Theoretical Analyses, and Empirical Explorations*, pages 199–231. Taylor and Francis.

## A Appendix

### A.1 Types of Danger

The different types of dangerous situations, which were operationalised based on word lists, start with a qualitative understanding of prototypical situations. `Duel` is regarded as a symmetrical fight between two antagonists, `Abduction` as the asymmetrical event of a kidnapping, `Natural` as a storm, fire, or another natural disaster threatening the protagonist’s life, `Supernatural` as an indeterminate threat mostly coming from demonic power, `Ambush` as an asymmetric attack with a clear distinction between offender and victim, and `Hitchcock` as the type of suspense with a knowledge divide between actual audience and fictional character. Hence, this type of suspense is located on a different theoretical level of reader response as it is not defined by a specific plot type but rather by the aspect that the protagonist is unaware of being threatened while the audience is in the knowledge of the danger. We wanted to cover this latter type of suspense because it is central to the understanding of suspense in literary and cultural studies. The fact that it hasn’t even been seen in the annotation set (see table 6) entails, however, that this type of suspense had to be ignored in our analyses.

### A.2 Dataset Statistics

	Count
<code>DangerousSituationNatural</code>	36
<code>DangerousSituationOther</code>	14
<code>DangerousSituationDuel</code>	10
<code>DangerousSituationSupernatural</code>	12
<code>DangerousSituationAmbush</code>	16
<code>FearDescription</code>	104

Table 4: Counts of the different types of dangerous situations and fear descriptions annotated in our dataset.

### A.3 Word Lists

Type	Base	Embeddings	ConceptNet
Fear	49	80	157
Any Danger	153	355	596
Abduction	15	35	34
Fire	24	58	76
Violence	27	83	107
War	35	76	179
Storm	34	69	120
Duel	25	51	112

Table 5: Counts for the word lists for the detection of dangerous situations. Base lists are manually created, Embeddings lists are created by expanding the base lists with words similar to the base words, and ConceptNet lists are created by expanding the base lists with words related to the base words in ConceptNet.

#### A.4 Error Analysis

word	TP	FP	TP Ratio
würgen	2	0	1.00
donnern	2	0	1.00
brennend	2	0	1.00
Bö	3	0	1.00
rammen	2	0	1.00
röcheln	2	0	1.00
zuschlagen	3	0	1.00
zerren	4	0	1.00
Hagel	2	0	1.00
Kampf	6	0	1.00
Donner	2	0	1.00
schießen	8	0	1.00
verschlingen	2	0	1.00
Sieger	4	0	1.00
explodieren	2	0	1.00
erwürgen	2	0	1.00
Sturmwind	2	0	1.00
entfliehen	2	0	1.00
entstellt	2	0	1.00
gefangen	2	0	1.00
Sturm	12	1	0.92
Fregatte	10	1	0.91
Klinge	18	2	0.90
Messer	30	4	0.88
Blitz	6	1	0.86
fliehen	6	1	0.86
Wind	22	4	0.85
Feuer	10	2	0.83
packen	4	1	0.80
zünden	8	2	0.80
stoßen	10	3	0.77
Waffe	6	2	0.75
Opfer	21	7	0.75
schlagen	27	12	0.69
umbringen	2	1	0.67
wild	8	4	0.67
gegenüberstehen	2	1	0.67
brennen	6	3	0.67
schleudern	6	3	0.67
Explosion	2	1	0.67

Table 6: True Positive, False Positive and True Positive Ratio for Dangerous Situations caused all words that were used in the corpus

word	TP	FP	TP Ratio
Blut	18	12	0.60
Wunde	6	5	0.55
gegenüber	4	4	0.50
Welle	2	3	0.40
Regen	2	5	0.29
töten	2	5	0.29
blutend	0	1	0.00
Stellung	0	1	0.00
Streit	0	1	0.00
beißen	0	1	0.00
graben	0	1	0.00
blutig	0	1	0.00
ermorden	0	2	0.00
flammen	0	1	0.00
Pistole	0	1	0.00
kämpfen	0	1	0.00
Prasseln	0	1	0.00
Feind	0	1	0.00
Mord	0	9	0.00
Gewitter	0	3	0.00
Gewalt	0	2	0.00
löschen	0	1	0.00
morden	0	2	0.00
durchbohren	0	1	0.00
vergewaltigen	0	1	0.00
regnen	0	3	0.00
prasseln	0	1	0.00
sperren	0	1	0.00
überfallen	0	1	0.00

Table 7: Continuation of Table 6

word	TP	FP	TP Ratio
bedrohen	5	0	1.00
widerlich	1	0	1.00
ängstlich	2	0	1.00
nervös	1	0	1.00
höllisch	1	0	1.00
Bedrohung	1	0	1.00
verwirren	1	0	1.00
erbärmlich	1	0	1.00
Angtschweiß	1	0	1.00
Panik	1	0	1.00
zittern	9	1	0.90
Furcht	6	1	0.86
Angst	20	4	0.83
schrecken	3	1	0.75
Zittern	5	2	0.71
ohnmächtig	2	1	0.67
Schrecken	3	2	0.60
erschrecken	3	3	0.50
fürchten	2	2	0.50
schrecklich	15	15	0.50
Gänsehaut	1	1	0.50
Schreck	2	2	0.50
furchtbar	3	5	0.38
gefährlich	2	4	0.33
leiden	2	5	0.29
Gefahr	3	9	0.25
schlimm	4	13	0.24
lähmen	0	1	0.00
hoffnungslos	0	1	0.00
grässlich	0	1	0.00
schauerlich	0	1	0.00
schocken	0	1	0.00
fürchterlich	0	3	0.00
wehrlos	0	1	0.00
erschreckt	0	1	0.00
unheimlich	0	4	0.00
besorgt	0	1	0.00
bedrohlich	0	1	0.00
Leiden	0	1	0.00
schwitzen	0	1	0.00
überwältigen	0	1	0.00

Table 8: True Positive, False Positive and True Positive Ratio for Fear Descriptions caused all words that were used in the corpus